



H

10.1

H-OS14

_V1.0

		1
1.1		
1.2		
		2
2.1		
2.2		
2.3		
		5
3.1		
3.2		
3.3		
		9
4.1		
4.2		
4.3		
4.4		
4.4.1		
4.4.2 PC		
4.4.3		
		13
5.1		
5.2		
5.3		
		14
6.1		
6.2		
6.3		
6.4		
6.5		
6.6		
6.7		

		19
7.1		
7.2		
7.3		
7.4		
7.5		
7.6		
7.7		
7.8		
		27

RFID (IC)


1.1

- 10.1 IPS
- IC
- LED
-
- IPX4
- /
- 12V / 800mA > 18V
- 99% 1


1.2

Android 6.0.1	CPU	A64 4	1.5GHz
1GB DDR3		8GB eMMC	TF 128GB
10000			
DC 24V		≤ 300mA	
≤ 400mA	800mA	.	n
320mA			


2.1



2.2



2.3



DC 24V



DC 18-30V

+12V


>18V

+12V


3.1



(2)





3.2



1.6


3.3

●




800mA

•



•



4.1

0101

*

30

1 99 +

1 9 +

011+0107

4.2



4.3

1.

2.

3.

+

+ #

* + # +

+

+ #

→

4.

1)



2



→





4.4

PC

4.4.1

“ # ”



“ # ”

“ * ”


5.1



5.2

“ # ”

“ * ”



“ 801801 ”

5.3

“ # ”



“ ## ”



6.1

“ # ”

“ * ”

“ # ”



6.2

“ # ”

“ * ”


“ ## ”



6.3

“ # ”

“ # ”



6.4


“ # ”

“ * ”

“ # ”





6.5



“ * ”

“ * ”





●

“

”

“

”


“ # ”

“ ★ ”

●

“ . ”

“ # ”



●

IC



IC

IC


6.6



6.7



“ # ”



7.1

“ # ”



PC





“ # ”

“ ★ ”



“ # ”

“ ★ ”





7.4



7.5

“ # ”

7.7



7.8

